



C E R T I F I C A T E

Certificate registration number : G3.1412.014.1.A

Certificate holder: Maxim Integrated

Platform designation: ZENO,
Hardware version MAX79356, Firmware version 10.0.6

Certification date: December 10th, 2014

This certificate indicates the above mentioned platform successfully completed certification testing with regards to the reference specification ITU G.9903 (02-2014) plus the changes listed in the annex to this certificate. The optional feature coherent mode of the G3-PLC protocol is also covered by this certification.

The certificate applies to certification profile Metering Cenelec A and the device was configured as a PAN Device.

Test cases have been performed as described in the test report referred to below. This certificate is granted on account of tests conducted by Laboratoire des Applications Numériques (LAN) in Tauxigny, France in November 2014 . The results and remarks can be found in the complete test report.

Applied tests	Performed by	Document evidence
Conformance and interoperability testing according to the test specification referenced by the test report	Laboratoire des Applications Numériques (LAN)	TR_LAN14AF047

The device tested is a G3-PLC platform: a solution providing an implementation of the G3-PLC specification. This certificate is valid from December 10th, 2014.

The certificate is only applicable to the platform described above and permits the use of the G3-PLC™ logo as laid down in the G3-PLC logo license agreement. The certificate may only be reproduced in full.

This certificate does not imply assessment of the production. This certificate shall not be defined, or used as a guarantee covering quality of a product which includes G3- PLC. The liability of the Alliance and the test laboratory or any of her representatives is excluded for any damages or losses of the certified company.

Paris, December 10th, 2014

For the G3-PLC Alliance:


Marc Boillot
Chairman


Lonneke Driessen
Chair Certification Program





Annex 1: Reference Version for Certification

The reference version for this certificate is published in 'Narrowband OFDM PLC specifications for G3-PLC network, October 2014'.

The reference version for this certification is:

ITU-T G.9903 (02-2014)

- + CCTT #24-25-30: Implementation of MAC security (anti-replay) solution F1
- + CCTT #61 : ADPM-Buffer behavior clarification
- + CCTT #143: AC Phase Detection v2
- + CCTT #144: Hop Limit usage during route repair v3
- + CCTT #145: Value of RCCoord when the node is at adpMaxHops hops from the coordinator
- + CCTT #146: Pilot tone generation
- + CCTT #147: Link-cost computation for Path discovery v2
- + CCTT #148: Path discovery frame routing v3
- + CCTT #152: Scrambler reset
- + CCTT #154: Clarification of PANCount and PANDescriptor
- + CCTT #156: Clarification of ADPM-NETWORK-STATUS.indication
- + CCTT #157: Interleaver Equation v2
- + CCTT #158: Unicast Routing Process
- + CCTT #159: Correct the windowing function description
- + CCTT #160: Clarify 16QAM quantisation and optionality
- + CCTT #161: Correct aMaxFrameSize and aMinFrameSize for FCC/ARIB bandplans
- + CCTT #162: Interleaver co-prime number clarification v2
- + CCTT #163: CRC5 and CRC8 packing order
- + CCTT #164: Route Repair v2
- + CCTT #165: Clarification Neighbour Table v2
- + CCTT #167: HOP COUNT metric identifier v2
- + CCTT #169: Clarification on PLME_GET v4
- + CCTT #170: Clarification to Frame Counter Handling Mechanism v2
- + CCTT #173: Clarification of LOADng mechanism used to detect bidirectional links

Annex 2: Protocol Implementation Conformance Statement (PICS)

Feature implementation statement

Name	Value	Description
BAND_PLAN	CENELEC A	Indicate the band-plan supported by the device.
FEATURE_PAN_COORDINATOR	FALSE	Indicate if the device is a PAN-Coordinator (true) or a normal device (false)
FEATURE_COHERENT_MODULATION	TRUE	Indicate if coherent modulation is supported
FEATURE_EAP_SERVER	FALSE	Indicate if an EAP-PASK server is implemented by the DUT. Apply only if FEATURE_PAN_COORDINATOR = true
FEATURE_D8PSK_MODULATION	TRUE	True / False
FEATURE_ROUTING	TRUE	Indicate if the routing is implemented by the IUT
FEATURE_SECURITY	F1	Indicate the security implemented by the device. Possible values are: F1, F2.
FEATURE_ACTIVE_SCAN	TRUE	Indicate if the active scan process is done by the IUT after power-up



Annex 3: Copy of test report cover sheet



G3-PLC Certification Test Report			
MAXIM	ZENO	HW:MAX79356 FW:10.06 -BAND	
LAN14AF047	Ed.00	December 5, 2014	Page 1/21



G3-PLC Platform Certification Test Report


Maxim Integrated – Zeno

HW version MAX79356
FW version 10.06

Test Report # TR_LAN14AF047 Ed.00
Date December 5, 2014

CONF tests suite version 0.13. 18/11/2014
CONF tests scripts version 1.8 18/11/2014
IOT tests suite version 0.4. 12/08/2014
IOT tests scripts version 1.1 bugfix 9. 13/10/2014

Certification Profile A
Role PAN Device (Service Node)
Overall Verdict PASS



Initiation	Date	Description of modification	Ed.
Omar DIOUF	December 5, 2014	Creation	00
Name	Realised by	Checked by	Approved by
Date	Omar DIOUF	Vincent BUCHOUX	Thery DOLICEZ
	December 5, 2014	December 5, 2014	December 5, 2014
Sign			

The current report and the test results protected to this contract are given for information only and must not be relied on by any third person for any reason.
This report describes an assessment of the equipment sampled and on samples submitted to the laboratory. The results in this report relate only to the items tested and were obtained in the period between the initial receipt of samples and the issue of this report. It should be noted that technical hardware or software modifications on the apparatus may impact the results reported in this document.