

#### C E R T I F I C A T E

Certificate registration number: G3.1905.291.1.A4

Certificate holder: Hitrend Technology (Shanghai) Co., LTD

Platform designation: HT-G3-CENA,

Hardware version VER.A.01.00 0913, Firmware version 0.1.06

Certification date: May 17<sup>th</sup>, 2019

This certificate indicates the above mentioned platform successfully completed certification testing with regards to the reference specification ITU G.9903 (08-2017). The optional feature coherent mode of the G3-PLC protocol is also covered by this certification.

The certificate applies to certification profile CENELEC A and the device was configured as a PAN-Coordinator.

Test cases have been performed as described in the test report referred to below. This certificate is granted on account of tests conducted by TÜV Rheinland in Yokohama, Japan in April 2019. The results and remarks can be found in the complete test report.

Applied tests	Performed by	Document evidence
Conformance, interoperability and performance testing according to the test specification referenced by the test report	TÜV Rheinland Japan	50227566 001

The device tested is a G3-PLC platform: a solution providing an implementation of the G3-PLC specification. The Protocol Implementation Conformance Statement in the Annex includes the PICS related to performance and is an integral part of this certificate. This certificate is valid from May 17<sup>th</sup>, 2019.

The certificate is only applicable to the platform described above and permits the use of the G3-PLC™ logo as laid down in the G3-PLC logo license agreement.

This certificate does not imply assessment of the production. This certificate shall not be defined, or used as a guarantee covering quality of a product which includes G3-PLC. The liability of the Alliance and the test laboratory or any of her representatives is excluded for any damages or losses of the certified company.

Paris, May 17th, 2019

For the G3-PLC Alliance:

Maic Delandre Chairman Madeleine Francillard Chair Certification Program





### **Annex 1: Protocol Implementation Conformance Statement (PICS)**

#### **Feature implementation statement**

Name	Value	Description
BAND_PLAN	CENELEC A	Indicate the band-plan supported by the device.
FEATURE_PAN_COORDINATOR	TRUE	Indicate if the device is a PAN-Coordinator (true) or a normal device (false).
FEATURE_COHERENT_MODULAT ION	TRUE	Indicate if coherent modulation is supported.
FEATURE_EAP_SERVER	TDUE	Indicate if an EAP-PASK server is implemented by the DUT.
	TRUE	Apply only if FEATURE_PAN_COORDINATOR = true.
FEATURE_D8PSK_MODULATION	TRUE	True / False
FEATURE_ROUTING	TRUE	Indicate if the routing is implemented by the IUT.
FEATURE_SECURITY	F1	Indicate the security implemented by the device. Possible values are: F1, F2.
FEATURE_ACTIVE_SCAN	TRUE	Indicate if the active scan process is done by the IUT after power-up.
FEATURE_PREAMBLE_COEXISTE NCE_MECHANISM	FALSE	Indicate if the preamble-based coexistence mechanism is used by the IUT.
		The man



## **Annex 2: Protocol Implementation Conformance Statement (PICS)**

#### PICS related to performance

The device tested is a G3-PLC CENELEC A platform. Operating voltage applied for certification testing was 220V / 50Hz.

Name	value	Unit	Description
		//////	
			<del>-</del>
-			
			<del>-</del>
			-
			o performance vailable
	alat	ed to	o bello.
- PICS	reias	-2.21	vailable
-	a	re a	vendor only.
-	1	ugh'	Veligo.
<b>-</b> ////////////////////////////////////	thro	ub.	H
-			
-			
<b>-</b> ////////////////////////////////////			

My May

Certificate registration number: G3.1905.291.1.A4

Page 3 of 5



## Annex 3: Copy of test report cover sheet

Products



**TÜV**Rheinland®

Products			<b>TUV</b> R	heinland <sup>®</sup>
Prüfbericht-Nr.: Test Report No.:	50227566 001	Auftrags-Nr.: Order No.:	150107730	Seite 1 von of 41 Page 1 von of 41
Kunden Referenz-Nr.: Client Reference No.:	N/A	<b>Auftragsd</b> Order date		22
Auftraggeber: Client:	STATEMENT STATEM	y (Shanghai) Co., L Jdong road 1388, P		Shanghai, China
Gegenstand der Prüfung Test item:	G3-PLC CENELEC	-A Platform (PAN C	coordinator)	
Bezeichnung / Typ-Nr.: Identification / Type No.:	HT-G3-CENA			
Auftrags-Inhalt: Order content:	G3-PLC Certificati	on Test		
Prüfgrundlage: Test specification:	G3-PLC 1-to-1 Inte G3-PLC Performan	nce L1-L2 Test Sui roperability Test S nce Test Suite Spec on Test Procedures	uite Specification cification v0.27	
Wareneingangsdatum: Date of receipt:	2019-04-08			
Prüfmuster-Nr.: Test sample No.:	A000912526			
Prüfzeitraum: Testing period:	2019-04-17 - 2019-0	04-19		
Ort der Prüfung: Place of testing:	TÜV Rheinland Jap Global Technology Assessment Center Kita-Yamata, Tsuzu Yokohama 224-002	4-25-2 ki-ku		
Prüflaboratorium: Testing laboratory:	TÜV Rheinland Japa	an Ltd.		
Prüfergebnis: Test results:	The test item passet test specification(s).			dild
Geprüft von Tested by:	Maw	Kontrollie Reviewed	by:	Studger
2019-04-25, Tam Tran Th	anh Stellung Unterschrif		Name / Stellun	a Unterschrift
Datum Name /				

Zustand des Prüfgegenstandes bei Anlieferung: Condition of the test item at delivery:				Prüfmuster vollständig und unbeschädigt Test item complete and undamaged		
*Legende:	1 = sehr gut	2 = gut	3 = befriedigend	4 = ausreichend	5 = mangelhaft	

| Cass | Possed | American | Cass | C

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.

This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark

Certificate registration number: G3.1905.291.1.A4

Page 4 of 5



# Annex 4: Additional details of the certified platform

Platform model name:	HT-G3-CENA
Platform hardware version:	VER.A.01.00_0913
Platform firmware version:	0.1.06
Exact part number of all the chips running G3-PLC stack in the certified platform:	HT8922
What each part number runs: lower MAC (incl. CSMA/CA) or PHY or other parts of the stack:	PHY, LowerMAC, 6LoWPAN, ADP
Hardware version of this chip:	0x035886_8922_01
Software version running on this chip:	0.1.06
Internal CPU frequency:	24 MHz

1

Mg