

#### CERTIFICATE

Certificate registration number: G3.1911.348.1.C4

Certificate holder: Qingdao Eastsoft Communication Technology Co., Ltd.

Platform designation: ESPLC-FCC,

Hardware version ESDS55-61-HW(v1.1), Firmware version ESG3SD-V000001

Certification date: November 20<sup>th</sup>, 2019

This certificate indicates the above mentioned platform successfully completed certification testing with regards to the reference specification ITU G.9903 (08-2017).

The certificate applies to certification profile FCC Multipurpose Worldwide and the device was configured as a PAN-Device.

Test cases have been performed as described in the test report referred to below. This certificate is granted on account of tests conducted by TÜV Rheinland in Yokohama, Japan in October 2019. The results and remarks can be found in the complete test report.

Applied tests	Performed by	Document evidence
Conformance, interoperability and performance testing according to the test specification referenced by the test report	TÜV Rheinland Japan	50303654 002

The device tested is a G3-PLC platform: a solution providing an implementation of the G3-PLC specification. The Protocol Implementation Conformance Statement in the Annex includes the PICS related to performance and is an integral part of this certificate. This certificate is valid from November 20<sup>th</sup>, 2019.

The certificate is only applicable to the platform described above and permits the use of the G3-PLC™ logo as laid down in the G3-PLC logo license agreement.

This certificate does not imply assessment of the production. This certificate shall not be defined, or used as a guarantee covering quality of a product which includes G3-PLC. The liability of the Alliance and the test laboratory or any of her representatives is excluded for any damages or losses of the certified company.

Paris, November 20th, 2019

For the G3-PLC Alliance:

Marc Delandre Chairman V

Madeleine Francillard Chair Certification Program





### **Annex 1: Protocol Implementation Conformance Statement (PICS)**

#### **Feature implementation statement**

Name	Value	Description
BAND_PLAN	FCC	Indicate the band-plan supported by the device.
FEATURE_PAN_COORDINATOR	FALSE	Indicate if the device is a PAN-Coordinator (true) or a normal device (false).
FEATURE_COHERENT_MODULAT ION	FALSE	Indicate if coherent modulation is supported.
FEATURE_EAP_SERVER	FALSE	Indicate if an EAP-PASK server is implemented by the DUT.
		Apply only if FEATURE_PAN_COORDINATOR = true.
FEATURE_D8PSK_MODULATION	TRUE	True / False
FEATURE_ROUTING	TRUE	Indicate if the routing is implemented by the IUT.
FEATURE_SECURITY	F1	Indicate the security implemented by the device. Possible values are: F1, F2.
FEATURE_ACTIVE_SCAN	TRUE	Indicate if the active scan process is done by the IUT after power-up.
FEATURE_PREAMBLE_COEXISTE NCE_MECHANISM	FALSE	Indicate if the preamble-based coexistence mechanism is used by the IUŢ.
		The mass



# **Annex 2: Protocol Implementation Conformance Statement (PICS)**

#### PICS related to performance

The device tested is a G3-PLC FCC platform. Operating voltage applied for certification testing was 220V / 50Hz.

My Mass

Certificate registration number: G3.1911.348.1.C4

Page 3 of 5



# Annex 3: Copy of test report cover sheet

Produkte

**Products** 



Froducts		
Prüfbericht-Nr.: Test Report No.:	50303654 002	Auftrags-Nr.: Seite 1 von of 39 Order No.: 150116838 Seite 1 von of 39 Page 1 von of 39
Kunden Referenz-Nr.: Client Reference No.:	N/A	Auftragsdatum: 2019-10-15
Auftraggeber: Client:		ommunication Technology Co., Ltd. ad, Qingdao 266023, China
Gegenstand der Prüfe Test item:	ung: G3-PLC FCC Platfo	rm (PAN Device)
Bezeichnung / Typ-Ni Identification / Type No		
Auftrags-Inhalt: Order content:	G3-PLC Certification	n Test
Prüfgrundlage: Test specification:	G3-PLC 1-to-1 Inter G3-PLC Performan	ce L1-L2 Test Suite Specification v0.30 operability Test Suite Specification v0.13 ce Test Suite Specification v0.27 n Test Procedures v1.14
Wareneingangsdatun Date of receipt:	1: 2019-10-28	
Prüfmuster-Nr.: Test sample No.:	A001020670	
Prüfzeitraum: Testing period:	2019-10-28 – 2019-1	0-29
Ort der Prüfung: Place of testing:	TÜV Rheinland Jap Global Technology Assessment Center 4 Kita-Yamata, Tsuzuk Yokohama 224-0021	I-25-2 I-ku
Prüflaboratorium: Testing laboratory:	TÜV Rheinland Japa	n Ltd.
Prüfergebnis: Test results:	The test item passed test specification(s).	the
Geprüft von Tested by:	Man	Kontrolliert von Reviewed by:  [fluotjef]
2019-11-12, Tam Tran		2019-11-12, Atsuhiro Endo
	ne / Stellung Unterschrift ne / Position Signature	Datum Name / Stellung Unterschrift Date Name / Position Signature

 Zustand des Prüfgegenstandes bei Anlieferung:
 Prüfmuster vollständig und unbeschädigt

 Condition of the test item at delivery:
 Test item complete and undamaged

P(ass) = passed a.m. test specification(s) F(ail) = failed a.m. test specification(s) = failed a.m. test specification(s) <math>F(ail) = failed a.m. test specification(s) = failed a.m. test specification(s) = failed a.m. test specification(s) <math>F(ail) = failed a.m. test specification(s) = failed a.m. test specification(s) <math>F(ail) = failed a.m. test specification(s) = failed a.m. test specifi

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.

This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to

be duplicated in extracts. This test report does not entitle to carry any test mark

Certificate registration number: G3.1911.348.1.C4

Page 4 of 5



# Annex 4: Additional details of the certified platform

Platform model name:	ESPLC-FCC
Platform hardware version:	ESDS55-61-HW(v1.1)
Platform firmware version:	ESG3SD-V000001
Exact part number of all the chips running G3-PLC stack in the certified platform:	SSC1655NQ
What each part number runs: lower MAC (incl. CSMA/CA) or PHY or other parts of the stack:	PHY, MAC and 6LowPAN
Hardware version of this chip:	Version A
Software version running on this chip:	ESG3SD-V000001
Internal CPU frequency:	20 MHz



